

Infectious and Communicable Diseases

If any infectious or communicable disease is detected on the Club's premises, the Club will inform parents/carers in writing as soon as possible. RIDDOR (where relevant) and Ofsted will also be informed of any infectious or communicable diseases discovered on the Club's premises.

Head lice

When a case of head lice is discovered at the Club, the situation will be handled sensitively. When the child concerned is collected, their parent/carer will be informed in a sensitive manner. Other parents/carers will be informed that a case of head lice has been reported but the child's name will not be mentioned.

Minimum Exclusion Periods for Illness and Disease (according to HPA guidelines)

Disease/Condition	Exclusion period
Athlete's foot	None
Antibiotics prescribed	First 24 hours
Chicken Pox	5 days from onset of rash
Cold Sores (Herpes simplex)	None. Avoid Kissing and contact with the sores
Conjunctivitis	None
Diarrhoea and/or vomiting	48 hours from the last episode
Diphtheria *	Exclusion is essential. Always consult with local HPU
E. Coli 0157 VTEC Typhoid * (and paratyphoid *) (enteric fever) Shigella (dysentery)	48 hours from the last episode of diarrhoea
Glandular Fever	None
Hand, Foot and Mouth disease	None
Head Lice	Treatment is only recommended in cases where live lice has been seen
Hepatitis A *	7 days from onset of jaundice (or 7 days after symptoms onset if no jaundice)
Hepatitis B *, C *, HIV/AIDS	None. Hep B, C and HIV are blood borne viruses that are not infectious through contact
High temperature	24 hours
Impetigo	Until lesions are crusted and healed, or 48 hours after commencing antibiotic treatment



Infective hepatitis 7 days from the onset

Measles 4 days from onset of rash

Meningitis Viral * None – milder illness

Meningitis * Until recovered

Meningococcal Meningitis

*/septicaemia *

Until recovered

Mollussum contagiosum None MRSA None

Mumps * 5 days after onset of swelling
Pediculosis (lice) Until treatment has been given

Pertussis (Whooping cough) 21 days from the onset

Plantar warts Should be treated and covered

Poliomyelitis Until certified well

Ringworm Exclusion not usually required

Roseola (infantum) None

Rubella (German Measles) 6 days from onset of rash

Scabies Child can return after first treatment. Household and

close contacts require treatment

Scarlet fever * 24 hours from the start of the treatment

Shingles Exclusion only required if rash is weeping and cannot be

covered

Slapped Cheek/fifth disease None
Threadworms None
Tonsillitis None

Tuberculosis Until declared free from infection by a doctor

Typhoid fever Exclusion not necessary

Warts (including Verruca) Exclusion not necessary.

Sufferer should keep feet covered

^{*}denoted a notifiable disease